

# Configuration

2022-01-02 00:00:00.000000000 -03:00

## Contents

Before starting . . . . .	1
Enable the plugin . . . . .	1
Configure the plugin . . . . .	2

## Before starting

### Enable the plugin

Add the plugin to Jekyll's `_config.yml` file:

```
plugins:  
- jekyll-printing-press
```

# Configuration

2022-01-02 00:00:00.000000000 -03:00

## Contents

Before starting . . . . .	1
Enable the plugin . . . . .	1
Configure the plugin . . . . .	2

## Before starting

### Enable the plugin

Add the plugin to Jekyll's `_config.yml` file:

```
plugins:  
- jekyll-printing-press
```

## Configure the plugin

Plugin-specific configuration goes under a `pandoc` key on `_config.yml`:

```
pandoc:  
  # Configuration goes here
```

## Use Pandoc's markdown flavor for generating Jekyll pages

Replace `kramdown` as default Markdown parser on Jekyll:

```
markdown: Pandoc
```

Markdown content on the Jekyll site is processed as Liquid (unless disabled) and then rendered using the HTML5 output format from Pandoc.

You can configure this options later on.

## Formats and options

Pandoc options can be configured on Jekyll's side by adding them as YAML key-values. You can either use `snake_case` or `kebab-case`.

For more info on options and possible values, please consult Pandoc's documentation.

Add an `options` key on the configuration file.

## Configure the plugin

Plugin-specific configuration goes under a `pandoc` key on `_config.yml`:

```
pandoc:  
  # Configuration goes here
```

## Use Pandoc's markdown flavor for generating Jekyll pages

Replace `kramdown` as default Markdown parser on Jekyll:

```
markdown: Pandoc
```

Markdown content on the Jekyll site is processed as Liquid (unless disabled) and then rendered using the HTML5 output format from Pandoc.

You can configure this options later on.

## Formats and options

Pandoc options can be configured on Jekyll's side by adding them as YAML key-values. You can either use `snake_case` or `kebab-case`.

For more info on options and possible values, please consult Pandoc's documentation.

Add an `options` key on the configuration file.

```
pandoc:
  options:
```

Then, add a key for any output format.

```
pandoc:
  options:
    html5:
    pdf:
    epub:
```

Each key will contain an option and their values for a specific format.

```
pandoc:
  options:
    html5:
      table-of-contents: true
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub: true
```

If you want to enable a format without passing any option, just add `true` as its value, like in the `epub` example.

Some options don't need a value, so they can also be enabled with a `true` value. Others do require a value, like in `toc-depth` for `html5`, or accept a list of values, like in `variable` for `pdf`.

```
pandoc:
  options:
```

Then, add a key for any output format.

```
pandoc:
  options:
    html5:
    pdf:
    epub:
```

Each key will contain an option and their values for a specific format.

```
pandoc:
  options:
    html5:
      table-of-contents: true
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub: true
```

If you want to enable a format without passing any option, just add `true` as its value, like in the `epub` example.

Some options don't need a value, so they can also be enabled with a `true` value. Others do require a value, like in `toc-depth` for `html5`, or accept a list of values, like in `variable` for `pdf`.

These options and values can be as long as you need them to be. Any option supported by Pandoc can go here.

**Options for site publication** When you enable Pandoc for generating HTML pages, you can set its options using the `html5` format.

```
pandoc:
  options:
    html5:
      # Web pages options go here
```

**Common options** Sometimes you need to share options between formats. In this case you can use a special `common` key which will share options between all formats.

In this example, all three formats now have a table of contents, but only HTML5 produces one including third-level headers.

```
pandoc:
  options:
    common:
      table-of-contents: true
    html5:
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub: true
```

These options and values can be as long as you need them to be. Any option supported by Pandoc can go here.

**Options for site publication** When you enable Pandoc for generating HTML pages, you can set its options using the `html5` format.

```
pandoc:
  options:
    html5:
      # Web pages options go here
```

**Common options** Sometimes you need to share options between formats. In this case you can use a special `common` key which will share options between all formats.

In this example, all three formats now have a table of contents, but only HTML5 produces one including third-level headers.

```
pandoc:
  options:
    common:
      table-of-contents: true
    html5:
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub: true
```

**Disabling or changing common options** If you need to disable a common option on a format, but keep it for others, set its value to `false`.

```
pandoc:
  options:
    common:
      table-of-contents: true
    html5:
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub:
      table-of-contents: false
```

Now only `html5` and `pdf` have TOCs, and `epub` doesn't.

Same if you want to set a different value:

```
pandoc:
  options:
    common:
      table-of-contents: true
      toc-depth: 3
    html5:
      toc-depth: 4
    pdf:
      variable:
        - documentclass=book
```

**Disabling or changing common options** If you need to disable a common option on a format, but keep it for others, set its value to `false`.

```
pandoc:
  options:
    common:
      table-of-contents: true
    html5:
      toc-depth: 3
    pdf:
      variable:
        - documentclass=book
        - papersize=a5
    epub:
      table-of-contents: false
```

Now only `html5` and `pdf` have TOCs, and `epub` doesn't.

Same if you want to set a different value:

```
pandoc:
  options:
    common:
      table-of-contents: true
      toc-depth: 3
    html5:
      toc-depth: 4
    pdf:
      variable:
        - documentclass=book
```

```
- papersize=a5  
epub: true
```

Now all formats have a table of contents with three-level headers, except `html5` where the TOC is four-level deep.

```
- papersize=a5  
epub: true
```

Now all formats have a table of contents with three-level headers, except `html5` where the TOC is four-level deep.